

Farmgate Prices

Collected: Week ending April 3, 2009

Domestic Crops	Kingston and St. Andrew					St. Thomas				
	Price Range/ Availability					Price Range/ Availability				
	Lower price (J\$)	Upper price (J\$)	Most Frequent price (J\$)	Supply Situation	Quality	Lower price (J\$)	Upper price (J\$)	Most Frequent price (J\$)	Supply Situation	Quality
Plantain	30/each	50/each	40/each	Scarce	Good	30/each	50/each	40/each	Moderate	Good
Pumpkin	88	110	110	Fair	Good	66	88	88	Moderate	Good
Tomato (plummy)	110	132	110	Scarce	Good	88	110	110	Fair	Good
Tomato (salad)	132	176	154	Scarce	Good	110	132	132	Fair	Good
Sweet potato	110	132	132	Fair	Good	66	110	88	Moderate	Good
Irish potato				Unavailable					Unavailable	
Yellow yam	132	154	132	Fair	Good	132	154	132	Unavailable	
Sweet yam	132	154	154	Fair	Good				Unavailable	
Renta yam	66	110	88	Fair	Good	44	88	66	Fair	Good
Negro yam	88	110	110	Fair	Good				Unavailable	
St. Vincent				Unavailable		-	-	-	Unavailable	
Tau yam				Unavailable		-	-	-	Unavailable	
Carrot	110	154	132	Moderate	Good	66	110	110	Moderate	Good
Cabbage	66	88	77	Moderate	Good	66	88	66	Fair	Good
Lettuce	154	220	198	Scarce	Good	174	198	164	Scarce	Good

Note:

All prices listed are in Kg except where stated otherwise

Plantain describe by each speaks to fingers.

For further information please contact Bevine Martin @ 876-878-1418 or marketing@moa.gov.jm or marketing@rada.gov.jm

Note the description of quality parameters, are two fold; by produce or by load.

Excellent: this parameter speaks to a condition where the produce is completely free from pest damage , mechanical damage and physiological defects

Good: this parameter speaks to a condition where the produce is completely free from pest damage, mechanical damage, but may have 10%-15% physiological damage. E.g. blemish or slight imperfection in shape.

Average: this parameter speaks to a condition where the produce is completely free from pest damage, mechanical damage, but may have a 16% -21% range of physiological damage

Poor: this parameter speaks to a condition where the produce may have pest damage, mechanical damage, and a range of physiological defects above 22 %

Farmgate Prices

Collected: Week ending April 3, 2009

Domestic Crops	Portland					St. Mary				
	Price Range/ Availability					Price Range/ Availability				
	Lower price (J\$)	Upper price (J\$)	Most Frequent price (J\$)	Supply Situation	Quality	Lower price (J\$)	Upper price (J\$)	Most Frequent price (J\$)	Supply Situation	Quality
Plantain	66	88	66	Scarce	Good	44	88	66	Scarce	Good
Pumpkin	66	88	66	Scarce	Good	77	88	77	Scarce	Average
Tomato (plummy)	88	88	88	Scarce	Good	110	132	110	Scarce	Good
Tomato (salad)	154	176	110	Scarce	Good	132	176	132	Scarce	Good
Sweet potato	66	88	66	Moderate	Good	55	66	55	Moderate	Good
Irish potato				Unavailable		77	88	77	Moderate	Good
Yellow yam	110	132	132	Fair	Good	110	132	110	Fair	Good
Sweet yam				Unavailable					Unavailable	
Renta yam	44	66	44	Moderate	Good	44	66	44	Moderate	Good
Negro yam				Unavailable					Unavailable	
St. Vincent				Unavailable					Unavailable	
Tau yam				Unavailable					Unavailable	
Carrot	110	110	110	Moderate	Good	110	110	110	Moderate	Good
Cabbage	66	88	66	Fair	Good	44	55	66	Scarce	Good
Lettuce				Unavailable					Unavailable	

Note:

All prices listed are in Kg except where stated otherwise

For further information please contact Alfred Dunkley @ 876-468-7252 or marketing@moa.gov.jm or marketing@rada.gov.jm

Note the description of quality parameters, are two fold; by produce or by load.

Excellent: this parameter speaks to a condition where the produce is completely free from pest damage , mechanical damage and physiological defects

Good: this parameter speaks to a condition where the produce is completely free from pest damage, mechanical damage, but may have 10%-15% physiological damage. E.g. imperfection in shape.

Average: this parameter speaks to a condition where the produce is completely free from pest damage, mechanical damage, but may have a 16% -21% range of physiological damage

Poor: this parameter speaks to a condition where the produce may have pest damage, mechanical damage, and a range of physiological defects above 22 %

Farmgate Prices

Collected: Week ending April 3, 2009

Domestic Crops	St. Ann					Trelawny				
	Price Range/ Availability					Price Range/ Availability				
	Lower price (J\$)	Upper price (J\$)	Most Frequent price (J\$)	Supply Situation	Quality	Lower price (J\$)	Upper price (J\$)	Most Frequent price (J\$)	Supply Situation	Quality
Plantain	55	66	55	Moderate	Good	88	110	88	Scarce	Average
Pumpkin	55	66	55	Fair	Good	66	88	77	Scarce	Good
Tomato (plummy)				Unavailable		66	77	66	Moderate	Good
Tomato (salad)				Unavailable		77	99	88	Moderate	Good
Sweet potato	88	110	88	Moderate	Good	66	88	66	Scarce	Good
Irish potato	88	110	88	Moderate	Average				Unavailable	
Yellow yam	88	110	88	Moderate	Good	110	122	110	Moderate	Good
Sweet yam				Unavailable					Unavailable	
Renta yam	66	88	66	Scarce	Good	110	132	110	Scarce	Good
Negro yam				Unavailable					Unavailable	
St. Vincent				Unavailable		35	35	40	Moderate	
Tau yam				Unavailable					Unavailable	
Carrot	77	88	77	Abundant	Good	88	99	88	Fair	Good
Cabbage	44	55	44	Moderate	Good	66	88	77	Fair	Average
Lettuce	55	66	55	Abundant	Good	122	133	127	Scarce	Good

Note:

All prices listed are in Kg except where stated otherwise

For further information please contact Lennox Morgan @ 876-577-9171 or marketing@moa.gov.jm or marketing@rada.gov.jm

Note the description of quality parameters, are two fold; by produce or by load.

Excellent: this parameter speaks to a condition where the produce is completely free from pest damage , mechanical damage and physiological defects

Good: this parameter speaks to a condition where the produce is completely free from pest damage, mechanical damage, but may have 10%-15% physiological damage. E.g. blemish or slight imperfection in shape.

Average: this parameter speaks to a condition where the produce is completely free from pest damage, mechanical damage, but may have a 16% -21% range of physiological damage

Poor: this parameter speaks to a condition where the produce may have pest damage, mechanical damage, and a range of physiological defects above 22 %

Farmgate Prices

Collected: Week ending April 3, 2009

Domestic Crops	St. James					Hanover				
	Price Range/ Availability					Price Range/ Availability				
	Lower price (J\$)	Upper price (J\$)	Most Frequent price (J\$)	Supply Situation	Quality	Lower price (J\$)	Upper price (J\$)	Most Frequent price (J\$)	Supply Situation	Quality
Plantain	88	99	99	Scarce	Average	88	99	99	Scarce	Average
Pumpkin	77	88	77	Scarce	Good	77	88	88	Scarce	Average
Tomato (plummy)	66	77	66	Fair	Good	66	77	66	Moderate	Good
Tomato (salad)	88	99	88	Fair	Good	88	99	88	Fair	Good
Sweet potato	88	99	88	Scarce	Good	88	99	88	Scarce	Good
Irish potato	110	132	110	Scarce	Good	110	132	110	Scarce	Good
Yellow yam	88	110	99	Moderate	Good	88	110	99	Moderate	Good
Sweet yam				Unavailable					Unavailable	
Renta yam				Unavailable		110	132	110	Scarce	Good
Negro yam				Unavailable					Unavailable	
St. Vincent				Unavailable					Unavailable	
Tau yam				Unavailable					Unavailable	
Carrot	88	99	88	Fair	Good	88	99	88	Fair	Good
Cabbage	66	77	66	Scarce	Good	66	77	66	Fair	Average
Lettuce	154	166	154	Scarce	Good	154	166	154	Scarce	Good

Note:

All prices listed are in Kg except where stated otherwise

For further information please contact Colin Henry @ 876-577-9605 or marketing@moa.gov.jm or marketing@rada.gov.jm

Note the description of quality parameters, are two fold; by produce or by load.

Excellent: this parameter speaks to a condition where the produce is completely free from pest damage, mechanical damage and physiological defects

Good: this parameter speaks to a condition where the produce is completely free from pest damage, mechanical damage, but may have 10%-15% physiological damage. E.g. imperfection in shape.

Average: this parameter speaks to a condition where the produce is completely free from pest damage, mechanical damage, but may have a 16% -21% range of physiological damage

Poor: this parameter speaks to a condition where the produce may have pest damage, mechanical damage, and a range of physiological defects above 22 %

Farmgate Prices

Collected: Week ending April 3, 2009

Domestic Crops	Westmoreland					St. Elizabeth				
	Price Range/ Availability					Price Range/ Availability				
	Lower price (J\$)	Upper price (J\$)	Most frequent price (J\$)	Supply Situation	Quality	Lower price (J\$)	Upper price (J\$)	Most Frequent price (J\$)	Supply Situation	Quality
Plantain	132	176	176	Scarce	Average	77	88	88	Moderate	Good
Pumpkin	66	88	88	Scarce	Average	88	99	88	Scarce	Average
Tomato (plummy)	88	132	88	Fair	Good	99	110	110	Moderate	Average
Tomato (salad)	132	154	132	Fair	Excellent	110	132	132	Moderate	Average
Sweet potato	66	88	88	Moderate	Average	110	132	132	Moderate	Good
Irish potato	88	110	88	Moderate	Average	66	110	88	Fair	Good
Yellow yam	88	110	88	Moderate	Average	110	110	110	Moderate	Good
Sweet yam	154	176	154	Scarce	Average				Unavailable	
Renta yam	88	110	88	Moderate	Average				Unavailable	
Negro yam	88	110	88	Moderate	Average				Unavailable	
St. Vincent				Unavailable					Unavailable	
Tau yam				Unavailable					Unavailable	
Carrot	88	132	110	Moderate	Average	110	132	110	Moderate	Good
Cabbage	66	88	88	Fair	Excellent	44	66	55	Moderate	Good
Lettuce	132	154	132	Moderate	Good	110	132	132	Moderate	Good

Note:

All prices listed are in Kg except where stated otherwise

For further information please contact Xavier Charvis @ 876-389-0346 or Kevin Buchanan @876-572-2659 or marketing@moa.gov.jm or marketing@rada.gov.jm

Note the description of quality parameters, are two fold; by produce or by load.

Excellent: this parameter speaks to a condition where the produce is completely free from pest damage , mechanical damage and physiological defects

Good: this parameter speaks to a condition where the produce is completely free from pest damage, mechanical damage, but may have 10%-15% physiological damage. E.g. imperfection in shape.

Average: this parameter speaks to a condition where the produce is completely free from pest damage, mechanical damage, but may have a 16% -21% range of physiological damage

Poor: this parameter speaks to a condition where the produce may have pest damage, mechanical damage, and a range of physiological defects above 22 %

Farmgate Prices

Collected: Week ending April 3, 2009

Domestic Crops	Manchester					Clarendon				
	Price Range/ Availability					Price Range/ Availability				
	Lower price (J\$)	Upper price (J\$)	Most Frequent price (J\$)	Supply Situation	Quality	Lower price (J\$)	Upper price (J\$)	Most Frequent price (J\$)	Supply Situation	Quality
Plantain	30/each	50/each	40/each	Moderate	Average	55	66	55	Moderate	Good
Pumpkin	66	110	88	Moderate	Average	44	55	44	Moderate	Good
Tomato (plummy)	110	132	110	Moderate	Good	110	132	110	Scarce	Good
Tomato (salad)	110	154	132	Scarce	Average	154	165	154	Scarce	Good
Sweet potato	66	88	88	Moderate	Good	66	77	66	Moderate	Average
Irish potato	88	110	110	Moderate	Average	88	110	88	Scarce	Good
Yellow yam	88	110	88	Fair	Good	66	88	66	Moderate	Good
Sweet yam	176	176	176	Scarce	Average				Unavailable	
Renta yam				Unavailable		66	77	66	Scarce	Good
Negro yam				Unavailable		66	77	66	Scarce	Good
St. Vincent				Unavailable					Unavailable	
Tau yam				Unavailable					Unavailable	
Carrot	88	132	110	Fair	Average	66	88	66	Moderate	Good
Cabbage	77	110	88	Moderate	Average	44	55	44	Moderate	Good
Lettuce	132	154	154	Fair	Good	55	66	55	Moderate	Good

Note:

All prices listed are in Kg except where stated otherwise

Lettuce from Manchester is predominantly Greenhouse

For further information please contact Marsha Johnson @ 876-584-0543 or Lennox Morgan @ 876-577-9171 or marketing@moa.gov.jm or marketing@rada.gov.jm

Note the description of quality parameters, are two fold; by produce or by load.

Excellent: this parameter speaks to a condition where the produce is completely free from pest damage, mechanical damage and physiological defects

Good: this parameter speaks to a condition where the produce is completely free from pest damage, mechanical damage, but may have 10%-15% physiological damage. E.g. imperfection in shape.

Average: this parameter speaks to a condition where the produce is completely free from pest damage, mechanical damage, but may have a 16% -21% range of physiological damage

Poor: this parameter speaks to a condition where the produce may have pest damage, mechanical damage, and a range of physiological defects above 22 %

Farmgate Prices

Collected: Week ending April 3, 2009

Domestic Crops	St. Catherine				
	Price Range/ Availability				
	Lower price (J\$)	Upper price (J\$)	Most Frequent price (J\$)	Supply Situation	Quality
Plantain	20 / each	30/each	30/each	Scarce	Good
Pumpkin	88	110	110	Scarce	Good
Tomato (plummy)	110	132	132	Fair	Good
Tomato (salad)	132	176	176	Fair	Good
Sweet potato	88	88	88	Fair	Poor
Irish potato	66	88	77	Moderate	Good
Yellow yam	66	88	66	Fair	Good
Sweet yam				Unavailable	
Renta yam				Unavailable	
Negro yam	66	88	66	Scarce	Good
St. Vincent				Unavailable	
Tau yam				Unavailable	
Carrot				Unavailable	
Cabbage	44	55	44	Moderate	Good
Lettuce				Unavailable	

Note:

All prices listed are in Kg except where stated otherwise

For further information please contact Fitzroy Beckford @ 876-899-3992 or marketing@moa.gov.jm or marketing@rada.gov.jm

Note the description of quality parameters, are two fold; by produce or by load.

Excellent: this parameter speaks to a condition where the produce is completely free from pest damage, mechanical damage and physiological defects

Good: this parameter speaks to a condition where the produce is completely free from pest damage, mechanical damage, but may have 10%-15% physiological damage.

Average: this parameter speaks to a condition where the produce is completely free from pest damage, mechanical damage, but may have a 16% -21% range of physiological damage

Poor: this parameter speaks to a condition where the produce **may** have pest damage, mechanical damage, and a range of physiological defects above 22 % e.g. colour & shape.